
Evidence-Based Mental Health



Contents

Perspectives

97 App-based psychological interventions: friend or foe?



Antidepressants in bipolar depression: yes, no, maybe?



Statistics in practice

Meta-analysis of diagnostic accuracy studiesin mental health



Forensic psychiatry

110 Synthetic Cannabinoid Receptor Agonists: a heterogeneous class of novel psychoactive substance with emerging risk of psychosis

Evidence-based case conference

What course are we to expect for a child with her first manic episode?



Causes and risk factors

- 113 Growing evidence that maternal gestational diabetes increases risk of autism in offspring
- 114 Depression and violent crime: is there a relationship?
- 115 Current antipsychotic drug treatment may increase the risk of pulmonary embolism
- Improving the treatment for depressive symptoms and major depression with anti-inflammatory drugs
- 117 Improving symptoms and side effects in older patients with schizophrenia with decreasing dopamine D_{2/3} receptor occupancy following risperidone and olanzapine dose reduction
- 118 ECT is superior to pharmacotherapy for the short-term treatment of medication-resistant inpatients with bipolar depression

${f C} \left| {f O} \right| {f P} \left| {f E} \right|$ committee on publication ethics ${\sf This journal is a member of and subscribes}$

freely available online.

to the principles of the Committee on Publication Ethics

This article has been chosen by the Editor to

be of special interest or importance and is

This article has been made freely available

scheme. See http://ebmh.bmj.com/site/

OPEN ACCESS Online under the BMJ Journals Open Access

about/guidelines.xhtml#open

www.publicationethics.org





Receive regular table of contents by email. Register using this QR code.



Outcomes

- 119 A pragmatic evaluation of a nationwide mental health outreach service in Japan raises more questions than answers
- 120 The 3D-CAM provides a brief, easy to use, sensitive and specific delirium assessment tool for older hospitalised patients, both with and without dementia
- 121 The need for nuanced stigma-reduction programmes to improve help seeking for mental health problems

November 2015 Vol 18 No 4

Psychological interventions

- 122 A collaborative care approach delivering treatment to patients with depression comorbid with diabetes or cardiovascular disease achieves significant but small improvements over usual care in depression and patient satisfaction
- 123 Randomised controlled trial of facilitated exercise plus usual care versus usual care only as a treatment for women with a depressive disorder in the first six postnatal months
- 124 Can mindfulness groups treat common mental health problems? Problematic design and short follow-up fails to answer the question
- **125** Group cognitive-behavioural therapy may reduce symptoms and impairment in adolescents with attention-deficit/hyperactivity disorder

Miscellaneous

- 126 Mindfulness-based cognitive therapy as an alternative to maintenance antidepressant medication to prevent relapse and recurrence in depression
- Multielement psychosocial interventions for first-episode psychosis are feasible and show promise in generic mental health services
- 128 Further evidence to support weight loss and lifestyle interventions for people taking antipsychotic medications

Electronic pages

- e6 Identifying psychiatric medications causing high numbers and rates of emergency department visits among US adults
- Post-traumatic stress disorder was associated with a threefold increased risk for stroke in a Taiwanese National Health Insurance Database
- **e8** Screening, brief intervention and referral of emergency department patients with unhealthy drug use: efficacious or not?
- e9 Telepsychiatry intervention is better for ADHD symptoms than usual treatment augmented by telemedicine consultation
- e10 Dialectical behaviour therapy with skills training seems to be more effective in reducing non-suicidal self-injury
- Burden of bullying: enduring effects of early victimisation on depression in adulthood
- Improving methadone maintenance therapy for prisoner populations
- e13 Family-based interpersonal psychotherapy is a promising treatment for preadolescent depression
- e14 The importance of the environment in the transmission of anxiety between parents and their adolescent offspring