
Evidence-Based Mental Health



Contents

Perspective

Twittering on about mental health: is it worth the effort? M Jayaram, L Moran, C Adams

Clinical reviews

- Pharmacological and non-pharmacological treatment of adults with ADHD: a metareview F De Crescenzo, S Cortese, N Adamo,
- Current status of electroconvulsive therapy for mood disorders: a clinical review D Kolar

Old age psychiatry

15 Cognitive—behavioural therapy for non-motor symptoms of Parkinson's disease: a clinical review / Koychev, D Okai

Statistics in practice

21 Exploratory trials in mental health: anything to learn from other disciplines? S Trelle

Commentaries

Forensic psychiatry

Impact of gun law reforms on rates of homicide, suicide and mass shootings in Australia P Brown

Outcomes

- Involvement of patients in planning their future treatment may reduce compulsory admissions to hospital S Kisely
- 27 Evidence of ocular side effects of SSRIs and new warnings J Kirkham, D Seitz

Pharmacological interventions

Antipsychotic adjunctive therapy to mood stabiliser should be continued for 6 months after remission of a manic episode K Hatta

February 2017 Volume 20 Issue 1

Psychological interventions

- Cognitive-behavioural group therapy for youth with high-functioning autism spectrum disorders demonstrates modest effects on social responsiveness E A Storch
- 30 Significant methodological flaws limit conclusions drawn by authors of a recent PTSD mindfulness study D J Lee, C W Hoge

Letters

- Letter in response to Drs Lee and Hoge's commentary C R Erbes, P Thuras, K O Lim, M A Polusny
- 32 Randomised or not? D Lufi, J Parish-Plass

Further commentaries

Electronic pages

- Prevention of depression and anxiety: is the whole better than the sum of the parts? S Merry, S Hetrick
- Disruptive behaviour may hinder the acquisition of daily living skills for youth with autism spectrum disorder and disruptive behaviour E A Laugeson
- More ACTIONS needed to reach a consensus е3 on adjunctive antidepressant therapy for negative symptoms of schizophrenia S Akhondzadeh, E Moazen-Zadeh
- Short web-based guided self-help intervention e4 prevents the onset of a major depressive disorder in adults with subthreshold depression L Bolier, B Boon
- Mindfulness-based cognitive therapy delays depressive relapse across demographic subgroups G Meadows, F Shawyer
- e6 Reduced all-cause mortality with antipsychotics and antidepressants compared to increased all-cause mortality with benzodiazepines in patients with schizophrenia observed in naturalistic treatment settings J M Rubio, C U Corell



This article has been chosen by the Editor to be of special interest or importance and is freely available online.



This article has been made freely available OPEN ACCESS Online under the BMJ Journals Open Access scheme. See http://ebmh.bmj.com/site/ about/quidelines.xhtml#open



This journal is a member of and subscribes to the principles of the Committee on Publication Ethics www.publicationethics.org





ve regular table of contents by email Register using this QR code

