

Appendices to systematic review by Waddell et al (EBMH)

Fifty years of preventing and treating childhood behaviour disorders: A systematic review to inform policy and practice

Charlotte Waddell, Christine Schwartz, Caitlyn Andres, Jenny Lou Barican, Donna Yung

Children's Health Policy Centre, Faculty of Health Sciences, Simon Fraser University, Vancouver, Canada

Appendix A: Reference List for Included Randomized Controlled Trials

Appendix B: Risk of Bias Tables A, B and C for Included Randomized Controlled Trials

Appendix A

Reference List for Included Randomized Controlled Trials

- w48. Kellam SG, Brown CH, Poduska JM, et al. Effects of a universal classroom behavior management program in first and second grades on young adult behavioral, psychiatric, and social outcomes. *Drug Alcohol Depend* 2008;95:S5–28. doi:10.1016/j.drugalcdep.2008.01.004
- w49. Heinrichs N, Kliem S, Hahlweg K. Addendum to "Four-year follow-up of a randomized controlled trial of Triple P Group for parent and child outcomes". *Prev Sci* 2017;18:491–503. doi:10.1007/s11121-017-0782-4
- w50. Hahlweg K, Heinrichs N, Kuschel A, et al. Long-term outcome of a randomized controlled universal prevention trial through a positive parenting program: is it worth the effort? *Child Adolesc Psychiatry Ment Health* 2010;4:1–14. doi:10.1186/1753-2000-4-14
- w51. Averdijk M, Zirk-Sadowski J, Ribeaud D, et al. Long-term effects of two childhood psychosocial interventions on adolescent delinquency, substance use, and antisocial behavior: a cluster randomized controlled trial. *J Exp Criminol* 2016;12:21–47. doi:10.1007/s11292-015-9249-4
- w52. Malti T, Ribeaud D, Eisner MP. The effectiveness of two universal preventive interventions in reducing children's externalizing behavior: a cluster randomized controlled trial. *J Clin Child Adolesc Psychol* 2011;40:677–92. doi:10.1080/15374416.2011.597084
- w53. Musci RJ, Bradshaw CP, Maher B, et al. Reducing aggression and impulsivity through school-based prevention programs: a gene by intervention interaction. *Prev Sci* 2014;15:831–40. doi:10.1007/s11121-014-0504-0
- w54. Ialongo N, Poduska J, Werthamer L, et al. The distal impact of two first-grade preventive interventions on conduct problems and disorder in early adolescence. *J Emot Behav Disord* 2001;9:146–60. doi:10.1177/106342660100900301
- w55. Breitenstein SM, Gross D, Fogg L, et al. The Chicago Parent Program: comparing 1-year outcomes for African American and Latino parents of young children. *Res Nurs Health* 2012;35:475–89. doi:10.1002/nur.21489
- w56. Lochman JE, Wells KC, Qu LX, et al. Three year follow-up of Coping Power intervention effects: evidence of neighborhood moderation? *Prev Sci* 2013;14:364–76. doi:10.1007/s11121-012-0295-0
- w57. Lochman JE, Wells KC. Effectiveness of the Coping Power program and of classroom intervention with aggressive children: outcomes at a 1-year follow-up. *Behav Ther* 2003;34:493–515. doi:10.1016/S0005-7894(03)80032-1
- w58. Lochman JE, Wells KC. The Coping Power program at the middle-school transition: universal and indicated prevention effects. *Psychol Addict Behav* 2002;16:S40–54. doi:10.1037/0893-164X.16.4S.S40
- w59. Shaw DS, Sitnick SL, Brennan LM, et al. The long-term effectiveness of the Family Check-Up on school-age conduct problems: moderation by neighborhood deprivation. *Dev Psychopathol* 2016;28:1471–86. doi:10.1017/S0954579415001212
- w60. Chang H, Shaw DS, Dishion TJ, et al. Direct and indirect effects of the Family Check-Up on self-regulation from toddlerhood to early school-age. *J Abnorm Child Psychol* 2014;42:1117–28. doi:10.1007/s10802-014-9859-8
- w61. Dishion TJ, Shaw D, Connell A, et al. The Family Check-Up with high-risk indigent families: preventing problem behavior by increasing parents' positive behavior support in early childhood. *Child Dev* 2008;79:1395–414. doi:10.1111/J.1467-8624.2008.01195.X
- w62. Dishion TJ, Brennan LM, Shaw DS, et al. Prevention of problem behavior through annual Family Check-Ups in early childhood: intervention effects from home to early elementary school. *J Abnorm Child Psychol* 2014;42:343–54. doi:10.1007/s10802-013-9768-2
- w63. Dodge KA, Bierman KL, Cole JD, et al. Impact of early intervention on psychopathology, crime, and well-being at age 25. *Am J Psychiatry* 2015;172:59–70. doi:10.1176/appiajp2014.13060786
- w64. Bierman KL, Coie JD, Dodge KA, et al. The effects of the Fast Track preventive intervention on the development of conduct disorder across childhood. *Child Dev* 2011;82:331–45. doi:10.1111/j.1467-8624.2010.01558.x
- w65. Hutchings J, Bywater T, Daley D, et al. Parenting intervention in Sure Start services for children at risk of developing conduct disorder: pragmatic randomised controlled trial. *BMJ* 2007;334:1–7. doi:10.1136/bmj.39126.620799.55
- w66. Scott S, O'Connor TG, Futh A, et al. Impact of a parenting program in a high-risk, multi-ethnic community: the PALS trial. *J Child Psychol Psychiatry* 2010;51:1331–41. doi:10.1111/j.1469-7610.2010.02302.x

- w67. Brotman LM, Gouley KK, Huang KY, et al. Preventive intervention for preschoolers at high risk for antisocial behavior: long-term effects on child physical aggression and parenting practices. *J Clin Child Adolesc Psychol* 2008;37:386–96. doi:10.1080/15374410801955813
- w68. Vitaro F, Brendgen M, Giguere CE, et al. Early prevention of life-course personal and property violence: a 19-year follow-up of the Montreal Longitudinal-Experimental Study (MLES). *J Exp Criminol* 2013;9:411–27. doi:10.1007/s11292-013-9188-x
- w69. Vitaro F, Barker ED, Brendgen M, et al. Pathways explaining the reduction of adult criminal behaviour by a randomized preventive intervention for disruptive kindergarten children. *J Child Psychol Psychiatry* 2012;53:748–56. doi:10.1111/j.1469-7610.2011.02517.x
- w70. Olds D, Henderson CR, Cole R, et al. Long-term effects of nurse home visitation on children's criminal and antisocial behavior: 15-year follow-up of a randomized controlled trial. *JAMA* 1998;280:1238–44. doi:10.1001/Jama.280.14.1238
- w71. Forgatch MS, Patterson GR, Degarmo DS, et al. Testing the Oregon delinquency model with 9-year follow-up of the Oregon Divorce Study. *Dev Psychopathol* 2009;21:637–60. doi:10.1017/S0954579409000340
- w72. Schweinhart LJ. Long-term follow-up of a preschool experiment. *J Exp Criminol* 2013;9:389–409. doi:10.1007/s11292-013-9190-3
- w73. Nix RL, Bierman KL, Heinrichs BS, Gest SD, Welsh JA, Domitrovich CE. The randomized controlled trial of Head Start REDI: sustained effects on developmental trajectories of social-emotional functioning. *J Consult Clin Psychol* 2016;84:310–22. doi:10.1037/a0039937
- w74. Bierman KL, Nix RL, Heinrichs BS, et al. Effects of Head Start REDI on children's outcomes 1 year later in different kindergarten contexts. *Child Dev* 2014;85:140–59. doi:10.1111/cdev.12117
- w75. Bierman KL, Domitrovich CE, Nix RL, et al. Promoting academic and social-emotional school readiness: the Head Start REDI program. *Child Dev* 2008;79:1802–17. doi:10.1111/j.1467-8624.2008.01227.x
- w76. Dembo R, Schmeidler J, Wareham J, et al. Impact of brief intervention services on drug-using truant youths' self-reported delinquency and arrest charges: a longitudinal study. *J Child Adolesc Subst Abuse* 2016;25:458–79. doi:10.1080/1067828X.2015.1103344
- w77. Scott S, Briskman J, O'Connor TG. Early prevention of antisocial personality: long-term follow-up of two randomized controlled trials comparing indicated and selective approaches. *Am J Psychiatry* 2014;171:649–57. doi:10.1176/appi.ajp.2014.13050697
- w78. Scott S, Spender Q, Doolan M, et al. Multicentre controlled trial of parenting groups for childhood antisocial behaviour in clinical practice. *Br Med J* 2001;323:194–7. doi:10.1136/Bmj.323.7306.194
- w79. Scott S, Sylva K, Doolan M, et al. Randomised controlled trial of parent groups for child antisocial behaviour targeting multiple risk factors: the SPOKES project. *J Child Psychol Psychiatry* 2010;51:48–57. doi:10.1111/j.1469-7610.2009.02127.x
- w80. Eddy JM, Whaley RB, Chamberlain P. The prevention of violent behavior by chronic and serious male juvenile offenders: a 2-year follow-up of a randomized clinical trial. *J Emot Behav Disord* 2004;12:2–8. doi:10.1177/10634266040120010101
- w81. Chamberlain P, Reid JB. Comparison of two community alternatives to incarceration for chronic juvenile offenders. *J Consult Clin Psychol* 1998;66:624–33. doi:10.1037/0022-006x.66.4.624
- w82. Chamberlain P, Leve LD, DeGarmo DS. Multidimensional treatment foster care for girls in the juvenile justice system: 2-year follow-up of a randomized clinical trial. *J Consult Clin Psychol* 2007;75:187–93. doi:10.1037/0022-006X.75.1.187
- w83. Henggeler SW, Pickrel SG, Brondino MJ. Multisystemic treatment of substance-abusing and dependent delinquents: outcomes, treatment fidelity, and transportability. *Ment Health Serv Res* 1999;1:171–84. doi:10.1023/A:1022373813261
- w84. Letourneau EJ, Henggeler SW, McCart MR, et al. Two-year follow-up of a randomized effectiveness trial evaluating MST for juveniles who sexually offend. *J Fam Psychol* 2013;27:978–85. doi:10.1037/a0034710
- w85. Weiss B, Han S, Harris V, et al. An independent randomized clinical trial of multisystemic therapy with non-court-referred adolescents with serious conduct problems. *J Consult Clin Psychol* 2013;81:1027–39. doi:10.1037/a0033928
- w86. Weiss B, Han SS, Tran NT, et al. Test of "facilitation" vs. "proximal process" moderator models for the effects of multisystemic therapy on adolescents with severe conduct problem. *J Abnorm Child Psychol* 2015;43:971–83. doi:10.1007/s10802-014-9952-z

- w87. Asscher JJ, Dekovic M, Manders W, et al. Sustainability of the effects of multisystemic therapy for juvenile delinquents in The Netherlands: effects on delinquency and recidivism. *J Exp Criminol* 2014;10:227–43. doi:10.1007/s11292-013-9198-8
- w88. Asscher JJ, Dekovic M, Manders WA, et al. A randomized controlled trial of the effectiveness of multisystemic therapy in the Netherlands: post-treatment changes and moderator effects. *J Exp Criminol* 2013;9:169–87. doi:10.1007/s11292-012-9165-9
- w89. Dekovic M, Asscher JJ, Manders WA, et al. Within-intervention change: mediators of intervention effects during multisystemic therapy. *J Consult Clin Psychol* 2012;80:574–87. doi:10.1037/a0028482
- w90. Bjørseth A, Wichstrøm L. Effectiveness of parent-child interaction therapy (PCIT) in the treatment of young children's behavior problems: a randomized controlled study. *PloS One* 2016;11:1–19. doi:10.1371/journal.pone.0159845
- w91. Hagen KA, Ogden T, Bjørnebekk G. Treatment outcomes and mediators of parent management training: a one-year follow-up of children with conduct problems. *J Clin Child Adolesc Psychol* 2011;40:165–78. doi:10.1080/15374416.2011.546050
- w92. Kolko DJ, Campo JV, Kelleher K, et al. Improving access to care and clinical outcome for pediatric behavioral problems: a randomized trial of a nurse-administered intervention in primary care. *J Dev Behav Pediatr* 2010;31:393–404. doi:10.1097/DBP.0b013e3181dfff307
- w93. McGrath PJ, Lingley-Pottie P, Thurston C, et al. Telephone-based mental health interventions for child disruptive behavior or anxiety disorders: randomized trials and overall analysis. *J Am Acad Child Adolesc Psychiatry* 2011;50:1162–72. doi:10.1016/j.jaac.2011.07.013
- w94. Cueva JE, Overall JE, Small AM, et al. Carbamazepine in aggressive children with conduct disorder: a double-blind and placebo-controlled study. *J Am Acad Child Adolesc Psychiatry* 1996;35:480–90. doi:10.1097/00004583-199604000-00014
- w95. Campbell M, Small AM, Green WH, et al. Behavioral efficacy of haloperidol and lithium carbonate: a comparison in hospitalized aggressive children with conduct disorder. *Arch Gen Psychiatry* 1984;41:650–6. doi:10.1001/archpsyc.1984.01790180020002
- w96. Campbell M, Adams PB, Small AM, et al. Lithium in hospitalized aggressive children with conduct disorder: a double-blind and placebo-controlled study. *J Am Acad Child Adolesc Psychiatry* 1995;34:445–53. doi:10.1097/00004583-199504000-00011
- w97. Malone RP, Delaney MA, Luebbert JF, et al. A double-blind placebo-controlled study of lithium in hospitalized aggressive children and adolescents with conduct disorder. *Arch Gen Psychiatry* 2000;57:649–54. doi:10.1001/Archpsyc.57.7.649
- w98. Connor DF, McLaughlin TJ, Jeffers-Terry M. Randomized controlled pilot study of quetiapine in the treatment of adolescent conduct disorder. *J Child Adolesc Psychopharmacol* 2008;18:140–56. doi:10.1089/cap.2006.0007
- w99. Buitelaar JK, van der Gaag RJ, Cohen-Kettenis P, et al. A randomized controlled trial of risperidone in the treatment of aggression in hospitalized adolescents with subaverage cognitive abilities. *J Clin Psychiatry* 2001;62:239–48. doi:10.4088/jcp.v62n0405
- w100. Findling RL, McNamara NK, Branicky LA, et al. A double-blind pilot study of risperidone in the treatment of conduct disorder. *J Am Acad Child Adolesc Psychiatry* 2000;39:509–16. doi:10.1097/00004583-200004000-00021
- w101. Aman MG, De Smedt G, Derivan A, et al. Double-blind, placebo-controlled study of risperidone for the treatment of disruptive behaviors in children with subaverage intelligence. *Am J Psychiatry* 2002;159:1337–46. doi:10.1176/Appi.Ajp.159.8.1337
- w102. Olds DL, Eckenrode J, Henderson CR, et al. Long-term effects of home visitation on maternal life course and child abuse and neglect: fifteen-year follow-up of a randomized trial. *JAMA* 1997;278:637–43. doi:10.1001/Jama.278.8.637
- w103. Muennig P, Schweinhart L, Montie J, et al. Effects of a prekindergarten educational intervention on adult health: 37-year follow-up results of a randomized controlled trial. *Am J Public Health* 2009;99:1431–7. doi:10.2105/AJPH.2008.148353
- w104. Letourneau EJ, Henggeler SW, Borduin CA, et al. Multisystemic therapy for juvenile sexual offenders: 1-year results from a randomized effectiveness trial. *J Fam Psychol* 2009;23:89–102. doi:10.1037/a0014352

Appendix B

Table A: Risk of Bias for Included Prevention Studies

Study	Random Sequence Generation (Selection Bias)	Allocation Concealment (Selection Bias)	Blinding of Participants and Personnel (Performance Bias)	Blinding of All Outcome Assessments (Detection Bias) ^a	Incomplete Outcome Data (Attrition Bias)	Selective Reporting (Reporting Bias)
Universal Programs						
Kellam 2008 [w48]	?	?	-	+	+	+
Heinrichs 2017 [w49]; Hahlweg 2010 [w50]	?	?	-	-	+	+
Averdijk 2016 [w51]; Malti 2011 [w52]	+	?	-	-	+	+
Targeted Programs						
Musci 2014 [w53]; Ialongo 2011 [w54]	+	?	-	+	+	+
Breitenstein 2012 [w55]	?	?	-	-	+	+
Lochman 2013 [w56]; Lochman 2003 [w57]	?	?	-	+	+	+
Shaw 2016 [w59]; Chang 2014 [w60]	+	+	-	+	+	+
Dodge 2015 [w63]; Bierman 2011 [w64]	?	?	-	+	+	+
Hutchings 2007 [w65]	+	?	-	-	+	+
Scott 2010 [w66]	+	?	-	+	+	+
Brotman 2008 [w67]	?	?	-	+	+	+
Vitaro 2013 [w68]; Vitaro 2012 [w69]	+	?	-	+	+	+
Olds 1998 [w70]; Olds 1997 [w102]	+	+	-	-	+	+
Forgatch 2009 [w71]	?	?	-	+	+	+
Schweinhart 2013 [w72]; Muennig 2009 [w103]	-	-	-	+	+	+
Nix 2016 [w73]; Bierman 2014 [w74]	?	?	-	-	+	+

Legend: + = low risk of bias; ? = unclear; - = high risk of bias

Footnote: a. For each study, we assessed blinding for all outcomes and rated the risk of detection bias based on majority (defined as ≥50%).

Table B: Risk of Bias for Included Psychosocial Treatment Studies

Study	Random Sequence Generation (Selection Bias)	Allocation Concealment (Selection Bias)	Blinding of Participants and Personnel (Performance Bias)	Blinding of All Outcome Assessment (Detection Bias) ^a	Incomplete Outcome Data: (Attrition Bias)	Selective Reporting (Reporting Bias)
Dembo 2016 [w76]	?	?	-	+	+	+
Scott 2014 [w77]; Scott 2001 [w78]	-	?	-	-	+	+
Scott 2014 [w77]; Scott 2010 [w79]	+	?	-	-	+	+
Eddy 2004 [w80]	?	?	-	+	+	+
Chamberlain 2007 [w82]	?	?	-	-	+	+
Henggeler 1999 [w83]	?	?	-	+	+	+
Letourneau 2013 [w84]; Letourneau 2009 [w104]	?	+	-	+	+	+
Weiss 2013 [w85]	?	+	-	-	+	+
Asscher 2014 [w87]	+	?	-	-	+	+
Bjørseth 2016 [w90]	+	+	-	-	+	+
Hagen 2011 [w91]	+	+	-	-	+	+
Kolko 2010 [w92]	+	?	-	+	+	+
McGrath 2011 [w93]	?	+	-	+	+	+

Legend: + = low risk of bias; ? = unclear; - = high risk of bias

Footnote: a. For each study, we assessed blinding for all outcomes and rated the risk of detection bias based on majority (defined as ≥50%)

Table C: Risk of Bias for Included Pharmacological Treatment Studies

Study	Random Sequence Generation (Selection Bias)	Allocation Concealment (Selection Bias)	Blinding of Participants and Personnel (Performance Bias)	Blinding of All Outcome Assessment: (Detection Bias) ^a	Incomplete Outcome Data (Attrition Bias)	Selective Reporting (Reporting Bias)
Cueva 1996 [w94]	?	?	+	+	+	+
Campbell 1984 [w95]	?	?	+	+	+	+
Campbell 1995 [w96]	?	?	+	+	+	+
Malone 2000 [w97]	+	?	+	+	+	+
Connor 2008 [w98]	?	?	+	+	+	+
Buitelaar 2001 [w99]	+	?	+	+	+	+
Findling 2000 [w100]	+	?	+	+	+	+
Aman 2002 [w101]	?	?	+	+	+	+

Legend: + = low risk of bias; ? = unclear; - = high risk of bias

Footnote: a. For each study, we assessed blinding for all outcomes and rated the risk of detection bias based on majority (defined as ≥50%).